Avec®

(Cetirizine Dihydrochloride)

اَویک

(سیٹی ریزین ڈائی ہائیڈروکلورائیڈ)

Description:
Each film coated tablet contains:
Cetirizine dihydrochloride … 10mg
Product Complies U.S.P. Specs.

Each 5 ml contains:
Cetirizine dihydrochloride … 5mg
Product Complies U.S.P. Specs.

Indications & Usage:
Seasonal allergic rhinitis:
Symptoms treated effectively include sneezing, rhinorrhea, nasal pruritus, ocular pruritus, tearing, and redness of the eyes.

Perennial allergic rhinitis:
Symptoms treated effectively include sneezing,rhinorrhea, post-nasal discharge, nasal pruritus, ocular pruritus,and tearing.

Chronic urticaria

Dosage & Administration:
In adults and children over 12 years:
10 mg (1 tablet) O.D. or 5 mg (½ tablet) B.D.
In patients with renal insufficiency dosage should be reduced to half a tablet daily.

Children 6-12 years:
5 mg (1 teaspoon / 5 ml) or 10 mg (2 teaspoons / 10 ml) once daily depending on symptoms severity.

Children 2-6 years:
2.5 mg (½ teaspoon / 2.5 ml) once or twice daily or
5 mg (1 teaspoon / 5 ml) once daily or as directed by the physician.

Precautions:
Though the drowsiness in very rare; due caution should therefore be exercise as it may affect the performance of skilled task like driving and operating machinery. Use in pregnancy and lactating women should be avoided.

Drug Interaction:
As with other antihistamine it is advisable to avoid concomitant alcohol consumption.

Side Effects:
Headache, dizziness, drowsiness, agitation, dry mouth and gastro-intestinal discomfort.

Availability:
Avec film coated tablets are available in a blister pack of 20's.
Avec syrup is available in 60ml and 120ml pack size.

Warnings:
Store below 30°C, in a dry place,protect from light.
Keep out of the reach of children.

خوراک:

بالغ اور ۱۲سال سے بڑی عمر کے بچوں کے لئے :

۱۰ملی گرام (ایک گولی) دن میں ایک مرتبہ یا

۵ ملی گرام (آدھی گولی) دن میں دو مرتبہ۔

۶ سال سے ۱۲ سال کے بچے:

ایک یا دو چائے کے چمچے دن میں ایک مرتبہ۔

۲سال سے ۶ سال کے بچے:

آدھا چائے کا چمچہ دن میں ایک یا دو مرتبہ یا
ایک چائے کا چمچہ دن میں ایک مرتبہ یا
ڈاکٹر کی ہدایت کے مطابق استعمال کریں۔

دوا کو ۳۰ ڈگری سینٹی گریڈ سے کم درجہ حرارت پر
روشنی سے بچا کر خشک جگہ پر رکھیں۔
تمام دوائیں بچوں کی پہنچ سے دور رکھیں۔

Manufactured by:
Platinum
Pharmaceuticals (Pvt) Ltd.
A-20, North Western Industrial Zone,
Bin Qasim, Karachi-75020, Pakistan.

QAR No. AW19-0397-02