

[Infacid-B]

(Fusidic acid + Betamethasone Valerate)

CREAM 15 g

[انفاسیڈ - بی]

(فیوسیدک ایسڈ + بیٹامیتھاسون ویلیریت)

۱۵ گرام کریم

COMPOSITION

Infacid-B Cream

Each gram contains:

Fusidic Acid 20mg(2%)

Betamethasone as Valerate 1mg(0.1%)

Product Complies innovator's Specs.

PHARMACOLOGY:

Infacid-B cream combines the potent topical antibacterial action of fusidic acid with the anti-inflammatory and anti-pruritic effects of betamethasone. Betamethasone valerate is a potent topical corticosteroid rapidly effective in those inflammatory dermatoses which normally respond to this form of therapy. Topical uses of Fusidic acid is also active against Staphylococci, Streptococci, Corynebacteria, Neisseria and certain Clostridia, Activity of fusidic acid enhances in the presence of betamethasone.

INDICATION:

Infacid-B cream is indicated in eczematous dermatoses with secondary bacterial infections including atopic eczema, discoid eczema, seborrhoeic dermatitis, contact dermatitis, primary irritant dermatitis, psoriasis and discoid lupus erythematoses.

Infacid-B cream is non-staining preparation which is cosmetically used for the treatment of face and scalp infections.

DOSAGE AND APPLICATION:

Apply a small quantity to the effected area twice daily unit a satisfactory response is obtained. A single treatment course should not normally exceed two weeks.

CONTRAINDICATIONS:

Should not be used with known hypersensitivity to any of the ingredients of Infacid-B cream. Do not use in the presence of infections due to non organisms. Due to the content of corticosteroid Infacid-B cream is contraindicated in the following conditions: Skin infections primarily caused by bacteria, fungi or virus (such as herpes or varicella), skin manifestations in relation to tuberculosis or syphilis, acne vulgaris and rosacea.

SIDE EFFECTS:

The most frequently reported undesirable effects are various symptoms of application site irritation. As with other corticosteroids, folliculitis, hypertrichosis, allergic contact dermatitis, depigmentation, although rare, may occur.

Storage:

Store between 15°C to 30°C in a dry place, protect from light. To be dispensed on the prescription of a registered medical practitioner only. Keep out of the reach of children.

PRESENTATION:

Infacid-B Cream is available in 15g Tube with carton.

خوراک: ڈاکٹر کی ہدایت کے مطابق استعمال کریں۔

دوا کو ۱۵ سے ۳۰ ڈگری سینٹی گریڈ کے درمیان خشک جگہ پر رکھیں، روشنی سے بچائیں۔

صرف رجسٹرڈ ڈاکٹر کے نسخے پر فروخت کریں۔ بچوں کی پہنچ سے دور رکھیں۔

Manufactured by:

Platinum
Pharmaceuticals (Pvt.) Ltd.

A-20, North Western Industrial Zone,
Bin Qasim, Karachi-75020, Pakistan.

Mfg. Lic No. 000415